

ATTN:

LAST C/O # 6 OF

DEALER NO: P801 DEALER NAME:PBLT OF ATLANTA, LLC
DLR PO/PRESENT ID:
SHIPPING DESTINATION: SEE INSTRUCTIONS
DEALER IDENTIFIER :
CUSTOMER NO: GQWW CUSTOMER NAME: MILLER INDUSTRIES
CUSTOMER PO:
PREVIOUS CHASSIS NO:

UNIT TYPE: 2

VIN NUMBER: 1NPCLP0X6RD696016 ENGINE SERIAL NO: Y329275
ACTUAL WEIGHT: 19,138.00 LBS

VEHICLE REQUIREMENTS

DIMENSIONS AND WEIGHTS FOR THE ENTIRE ORDER ARE STATED IN CUSTOMARY UNITS.

**** APPLICATION DATA:

COMMODITY HAULED: 0091170 TRANSPORTATION EQUIPMENT

INTENDED SERVICE: 0093110 WRECKER

**** BODY DATA:

TYPE: 0095250 WRECKER

LENGTH: 264.00 IN HEIGHT: 163.20 IN MAX WGT: 1,000.00 LBS

**** TRAILER DATA:

TYPE:

LENGTH: 0.00 FT HEIGHT: 0.00 FT
KING PIN: 0.00 IN C/L OF AXLE GROUP:

**** OPERATING AREA RESTRICTIONS:

LENGTH: 40.00 FT WIDTH: 102.00 IN
HEIGHT: 13.50 FT
OPERATING AREA (EXPORT):

**** DEALER ASSIGNED:

FRONT AXLE LOAD: 14,600.00 LBS REAR AXLE LOAD: 46,000.00 LBS
GROSS COMBINATION: 85,000.00 LBS

MAXIMUM GRADE (PERCENT): 9 PERCENT HIGHWAY USE: 100 PERCENT CLASS B: 0
PERCENT CLASS C: 0
PERCENT CLASS D: 0

WHEELBASE: 332.00 IN CAB TO AXLE: 241.90 IN
CAB TO END OF FRAME: 331.90 IN FRONT AXLE TO BOC: 90.10 IN

**** SPECIAL REQUIREMENTS:

EPA CODE:

ENGINEERING ASSIGNED RATINGS

GAWR FRONT: 14,600.00 LBS
 GAWR FIRST INTER 23,000.00 LBS SECOND INTER 23,000.00 LBS
 GAWR REAR: 0.00 LBS
 GVWR: 60,600.00 LBS

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	----

BASE MODEL

0005671	MODEL 567 CONVENTIONAL	P	
0200700	NOT APPLICABLE	P	
	SECONDARY MANUFACTURER		
0203000	VEHICLE LAYOUT SENT PENDING APPROVAL	U	
0203010	VEHICLE LAYOUT APPROVED	U	

FRAME AND EQUIPMENT

0514080	10-3/4" STEEL RAILS 403"-444" 3/8" RAIL THICKNESS	P	
0601500	FULL STEEL INNER LINER	P	
	USE W/10-1/2, 10-3/4, 10-5/8" RAILS		
0611250	HD IRON FRONT SPRING BRKTS FORWARD & REAR	P	
0611330	ZINC COATED ANTI CORROSION TREATED FRME RAILS - REQUIRES FRAME RAIL CODE	P	
0611790	ALUMINUM FRAME RAIL CROSSMEMBERS EXCLUDES SUSPENSION	P	

VMQQR000 FOR CHASSIS 69601623

PAGE: 3

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	----

0620500	FRAME COMPONENTS BOLTED IPO HUCK FASTEN	P	
0622100	FRAME RAKE EXCEEDS RECOMMENDED CONTACT APPLICATIONS IF UNACCEPTABLE	U	
0633405	ADDITIONAL FRAME DRILLING	P	
0644090	EOF SQUARE WITHOUT CROSSMEMBER USE WITH BODY BUILDER INSTALLED XMBR	P	
0651090	OMIT REAR MUDFLAPS & HANGERS	P	

FRONT AXLE AND EQUIPMENT

1011350	DANA SPICER E1462I 14,600 LB, 3.5" DROP	P	
1112150	TAPER LEAF SPRINGS, SHOCKS 14,600 LBS.	P	
1233050	POWER STEERING TRW TAS85	P	
1250180	POWER STEERING RESERVOIR, FRAME MOUNTED	P	
1354850	PHP10 IRON PRESET+ HUBS - AIR DISC	P	
1354870	SEVERE SERVICE DISC BRAKE ROTOR	P	

	FOR REFUSE APPLICATIONS	
1380070	GREASABLE FRONT SPRING PINS	P
1380290	AIR DISC FRONT BRAKES	P
1380380	TENNECO SHOCKS FOR STEER AXLE	P
1390600	30 MM FRONT SPRING SPACER BLOCKS	P

REAR AXLE AND EQUIPMENT

1523440	DANA SPICER D46-172 46,000 LBS.	P
1616305	PHP10 IRON PRESET+ HUBS - AIR DISC	P
1616310	SEVERE SERVICE DISC BRAKE ROTOR	P
	FOR REFUSE APPLICATIONS	
1680155	BENDIX PISTON PARK BRAKE CHAMBERS	P
	FOR DISC BRAKES	
1680500	SBM VALVE	P
1680950	STABILITY SYSTEM NOT SELECTED	P
	OR NOT AVAILABLE	
1682430	ANTI-LOCK BRAKING SYSTEM (ABS) 4S4M	P
1683235	OMIT SMARTIRE TIRE PRESSURE MONITORING	P
	SYSTEM	
1684200	SYNTHETIC AXLE LUBRICANT ALL AXLES	P
1687040	AIR DISC REAR BRAKES, TANDEM DRIVE AXLE	P
1687090	DIFF LOCK TANDEM AXLES	P
	WITH SPEED INTERLOCK	
1703910	RATIO 3.91 REAR AXLE	P
1821640	PETERBILT AIR TRAC 46,000 LBS., 54" AS	P
1920385	AIR SPRINGS, INTERNAL BUMPERS	P
	AIR TRAC/AIR LEAF SUSPENSIONS	
1920450	LOCATE SINGLE LEVELING VALVE FWD DRV	P
	AXLE OF PB AIR SUSP	
1922260	DASH MTD DUMP SWITCH WITH INDICATOR	P
	LIGHT FOR SUSPENSION	

ENGINE AND ENGINE EQUIPMENT

2072831	PACCAR MX-13 510@1600 GV@2200 1850@1000	U
	NLA REPLACED BY 2075830	

VMQQR000 FOR CHASSIS 69601623

PAGE: 4

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	-----
2091130	VMUX ELECTRONICS ARCHITECTURE	P	
2091310	ENGINE IDLE SHUTDOWN TIMER DISABLED	P	
2091372	EFF EIST NA EXPIRATION MILES	P	
2091640	EFFECTIVE VSL SETTING NA	P	
2092014	TYPICAL OPERATING SPEED 65 MPH	P	
2092027	MX RETARDER STATE CRUISE CONTROL ON	P	
	(MANUAL MODE ENGINE PARAMETER)		
2092033	POWERTRAIN OPTIMIZED FOR BALANCE	P	
2092065	PTO MODE CONTROL - CAB STATION	P	
2092079	DECLINE DRIVER PERFORMANCE ASSISTANT	P	
2092082	ENGINE MONITORING PROTECTION - DERATE	P	
	(PACCAR MX)		
N2069	AA086 75....MAX ACCEL PEDAL VEH SPD		
N2070	AA003 75....CC MAX TARGET SPEED		
N2071	AE002 650...IDLE TARGET		
N2074	AE001 NO....ENBL MX RETARDER IN NEUTRAL		
N2075	AA039 0.1...TIME DELAY FOR RTRDR ACT		
N2076	AA038 2.....AUTO RTRDR VEH SPD OFFSET		
N2077	AA037 4.....DSL SPD OFFSET		
N2080	AA004 10....CC MIN ENABLE SPEED		

N2083	AA006 MT....MULTI TORQUE IN CC	
N2084	AA026 5.....EIST PARKED MAX IDLE TIME	
N2085	AA027 5.....EIST STANDSTILL IDLE TIME	
N2086	AA024 39....EIST LO AMBAIR TEMP OVRDR	
N2087	AA023 80....EIST HI AMBAIR TEMP OVRDR	
N2090	AA025 600...EIST PTO MAX IDLE TIME	
N2091	AA029 YES...EIST RESET FROM ENG LOAD	
N2093	AE003 ON....FIC ENABLE/DISABLE	
N2094	AA042 1100..FIC MAX ENG SPEED	
N2099	AA055 ON A..CAB: CLUTCH INTLK	
2140200	CARB ENGINE IDLING COMPLIANCE	P
2140320	REMOTE THROTTLE & WIRING EOF	P
	EXCLUDES CAN COMMUNICATION	
2140410	ENGINE BRAKE CONTROLS LOC ON RH COLUMN	P
2140450	REMOTE PTO/THROTTLE, 12-PIN, ENG BAY	P
	REMOTE CONTROL PROVISION	
2140580	STEEL OIL PAN; MX-13	P
2140660	CARB EMISSION WARRANTY	P
2141000	STEEL FRONT ENGINE SUPPORT IPO STD ALUM	P
N2101	AA058 ON A..CAB: PARK BRK INTLK	
N2102	AA063 6.....CAB:MAX VEH SPEED	
N2103	AA057 ON A..CAB: NEUTRAL INTLK	
N2111	AA075 2000..REM: MAX ENG SPD-SW/ TSC1 CT	
N2112	AA062 2000..CAB: MAX ENG SPD- SW CTRL	
N2113	AA060 OFF...CAB: PRESET +/- SWITCH TYPE	
N2114	AA068 YES...CAB: ACCEL ACTV IN CAB PTO	
N2115	AA059 ON A..SER BRK INTLK: NO PTO	
N2117	AA030 NO....EIST OVERRIDE FROM ENG LOAD	
N2118	AA061 2000..CAB: MAX ENG SPD- ACCEL CTRL	
N2119	AA031 0.....EIST EXPIRATION DISTANCE	
N2120	AA064 650...CAB: MIN ENG SPD	
N2122	AA065 800...CAB: DEDICATED PRESET (-)	

VMQQR000

FOR CHASSIS 69601623

PAGE: 5

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	-----
N2123	AA032 YES...EIST ACCEL PEDAL RESET		
N2124	AA033 YES...EIST SERVICE BRK RESET		
N2125	AA034 YES...EIST CLUTCH PEDAL RESET		
N2126	AA035 YES...EIST PTO OVERRIDE		
N2127	AA066 900...CAB: DEDICATED PRESET (+)		
N2129	AA077 800...REM: DEDICATED PRESET (-)		
N2130	AA087 0.....VSL EXPIRATION DISTANCE		
N2131	AA088 100...LRSL SPD LMT		
N2132	AA076 650...REM: MIN ENG SPD		
N2149	AA078 900...REM: DEDICATED PRESET (+)		
N2158	AA079 DEDIC.REM: PRESET +/- SWITCH TYPE		
N2160	AA070 ON AD.REM: CLUTCH INTLK		
N2164	AA019 YES...EIST PARK BRAKE RESET ENABLE		
N2170	AA072 ON AD.REM: NEUTRAL INTLK		
N2171	AA073 ON AD.REM: SER BRK INTLK: NO PTO		
N2190	AA067 TRQ...CAB: ACCEL PEDAL TYPE IN PTO		
N2191	AA022 30.....EIST LO CLNT TEMP OVRDR		
N2192	AA013 BOTH..OFFSET MODE		
N2193	AA009 0.....DRIVER REWARD VEH SPD BONUS		
N2194	AA010 -5.....DRIVER REWARD VEH SPD PNLTY		
N2195	AA015 3.....MIN SPEED FOR DR SHIFT AID		
N2196	AA016 1.....DSA LOWEST ACTV GEAR		
N2197	AA017 10.....DSA HIGHEST ACTV GEAR		
N2198	AA074 2000..REM:MAX ENG SPD-ACCEL CTRL		

N2199	AA069 YES...PTO REM PEDAL ENABLE	
N2200	AA005 OFF...DYNAMIC CC ENABLE	
N2201	AA049 CNCL..CAB: CUSTOM PRESET 1 FUNC	
N2202	AA050 0.....CAB: CUSTOM PRESET 1	
N2203	AA051 CNCL..CAB: CUSTOM PRESET 2 FUNC	
N2204	AA052 0.....CAB: CUSTOM PRESET 2	
N2205	AA053 CNCL..CAB: CUSTOM PRESET 3 FUNC	
N2206	AA054 0.....CAB: CUSTOM PRESET 3	
N2207	AA056 OFF...CAB: CUSTOM INTLK	
N2208	AA043 CNCL..CAB/REM: CUSTOM PRESET 1 FUN	
N2209	AA044 750...CAB/REM: CUSTOM PRESET 1	
N2210	AA045 CNCL..CAB/REM: CUSTOM PRESET 2 FUN	
N2211	AA046 850...CAB/REM: CUSTOM PRESET 2	
N2212	AA047 CNCL..CAB/REM: CUSTOM PRESET 3 FUN	
N2213	AA048 950...CAB/REM: CUSTOM PRESET 3	
N2214	AA071 OFF...REM: CUSTOM INTLK	
N2217	AQ001 4.....PCC MAX NEGATIVE OFFSET (AQ0	
N2218	AQ002 4.....PCC MAX POSITIVE OFFSET (AQ0	
2513070	200 AMP ALTERNATOR, STANDARD BRUSH	P
2521090	IMMERSION TYPE BLOCK HEATER 110-120V	P
	SEE SALES TOOL DESC FOR PLUG LOCATION	
2522080	PACCAR PREMIUM STARTER-MX ENGINES ONLY	P
2538050	4 PACCAR PREMIUM 12V DUAL PURPOSE	P
	BATTERIES, 2920 CCA	
2539410	BATTERY JUMPER TERMINAL	P
	MTD UNDER HOOD LH FRAME RAIL	
2539720	LOW VOLTAGE DISCONNECT SYSTEM	P
2539740	KISSLING BATTERY DISCONNECT SW 300AMP	P
	DUAL TAB; MTD ON BATTERY BOX	

VMQQR000

FOR CHASSIS 69601623

PAGE: 6

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	-----
2621000	2-SPEED FAN CLUTCH FOR FREQUENT START/STOPS	P	
2738440	WABCO 37.4 CFM AIR COMPRESSOR - (MX)	P	
2811160	COMPRESSION BRAKE, MX	P	
2921180	PACCAR FUEL/WATER SEPARATOR ON ENGINE EXTENDED SERVICE INTERVAL PACCAR MX	P	
3114270	HIGH EFFICIENCY COOLING SYSTEM	P	
3281680	DUAL PRE-CLEANERS, UNDER HOOD MOUNTED, SELF CLEANING	P	
3291680	(1) AIR CLEANER FIREWALL MTD	P	
3365340	EXHAUST DUAL SOC, LH SOC STACK **NLA**	U	
3381790	CHROME FINISH OVER ELBOWS FOR DUAL EXHAUST	P	
3381830	MUFFLER GUARD / FAIRING STAINLESS STEEL HALF ROUND	P	
3387880	7" CHROME PLATED STL STANDPIPE(S IPO 5"	P	
3387890	36" HT, 5" DIA STANDPIPE(S) CHROME WITH CLEAR COAT	P	

TRANSMISSION AND CLUTCH

4022200	EATON RTLO18918B 18-SPEED OIL-TO-WATER COOLER, INTERNAL PUMP	U	
4211530	SPL250 LITE HT DRIVELINE, 2 MIDSHIP BEARINGS	P	
4216330	SPL170 XL DRIVELINE INTERAXLE FOR TANDEM REAR AXLES	P	

4219990	DRIVELINE APPROVED	U
4250800	MANUAL SHIFTER, CHROME	P
4256250	HD INPUT BEARING FOR PTO OPERATION	P
4321000	SELF-ADJUST CLUTCH	P
4380220	PRE-DAMPED CLUTCH	P
4380360	UPGRADE CLUTCH TORQUE CAPACITY	P
	USE WITH 1650-1850 TORQUE TRANSMISSION	
4380370	REMOTE LUBE HOSE FOR RELEASE BEARING	P
	MOUNTED UNDER HOOD LH RAIL	

AIR AND TRAILER EQUIPMENT

4510190	BENDIX AD-HF AIR DRYER, HEATER	P
	COALESCING FILTER	
4520420	PULL CORDS ALL AIR TANKS	P
4540220	WIRE BRAID BRAKE HOSE, REAR	P
4540260	DASH WINCH BRK SWCH TO OP (TRK/TRL BRK)	P
	A&E EOF ON MOVEABLE XMBR	
4540420	NYLON CHASSIS HOSE	P
4543320	STEEL PAINTED AIR TANKS	P
4543330	ALUMINUM POLISHED AIR TANKS	P
	OUTSIDE FRAME RAILS	
4610925	NON-SELF RETURNING BRAKE HAND VALVE	P
	DASH MOUNTED CONTROLS	

VMQQR000

FOR CHASSIS 69601623

PAGE: 7

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	-----

4611930	BODY CONNECTIONS 5' BOC	P
---------	-------------------------	---

TIRES AND WHEELS

5058030	FF: MN 16PLY 12R22.5 XZE	P
5159150	RR: MN 16PLY 11R24.5 XDA5+	P
5190008	CODE-REAR TIRE QTY 08.	
5220520	FF: ALCOA 89U637 22.5X9.00 HIGH POLISH	P
	ALM	
5320540	RR: ALCOA 98U637 24.5X8.25 HIGH POLISH	P
	ALM	
5390008	CODE-REAR RIM QTY 08.	
5407640	FF: MIRROR POLISH WHEELS, OUTER SURFACE	P
	SGL OR TDM STEER, W/O CHROME WHEEL NUTS	
5407660	RR: MIRROR POLISH WHEELS, OUTER SURFACE	P
	TANDEM DRIVE, W/O CHROME WHEEL NUTS	
5409680	SCHRADER DOUBLE SEALING EXTENSIONS	P
	ON TIRE VALVE STEMS	

FUEL TANKS

5552100	26" ALUM 70 GAL FUEL TANK RH BOC	P
5554130	26" ALUM 80 GAL FUEL TANK LH U/C	P
	NON-SLIP FUEL TANK STEP LH U/C	
5602080	LOCATION LH UNDER CAB 080 GAL.	
5603070	LOCATION RH BEHIND CAB 070 GAL.	
5650540	POLISH (1) NON-SLIP FUEL TANK STEP	P
	U/C TANK ONLY	
5650820	POLISH (2) ALUMINUM FUEL TANKS	P
5652830	POLISH ALL FUEL / HYDRAULIC TANK STRAPS	P
5652890	DEF TANK MOUNTED LH BOC	P
5652980	DEF TO FUEL RATIO BETWEEN 1:1 AND 2:1	P

5653000	POLISHED SS COVER FOR DEF TANK	P
5655019	DEF TANK SMALL, HD 14GAL 2.1M MD 5.5GAL	P

BATTERY BOX AND BUMPER

6010670	ALUMINUM SPACE SAVER BATTERY BOX LH BOC BATTERY ACCESS FROM SIDE	P
6030150	RUBBER BATTERY PAD IN BOTTOM (1) BATTERY BOX	P
6030540	POLISH BATTERY/TOOL BOX(S) AFTERTREATMENT CAB ENTRY, COMPLETE	P
6040550	AFTERTREATMENT RH U/C ALUM NON-SLIP CAB ENTRY STEP	P
6121090	STEEL BUMPER DEEP TAPERED CHROMED 2 TOW POINTS	P
6132450	HEAVY DUTY EXTERNAL TOW EYE IPO STD, N/A WITH FEPTO	P

VMQQR000 FOR CHASSIS 69601623

PAGE: 8

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	-----

CAB AND EQUIPMENT

6515770	VOC 121 BBC ALUMINUM CAB & METTON HOOD SFFA, SS CROWN & GRILLE W/TILT ASSIST	P
6540160	THERMAL INSULATION PACKAGE IN CAB	P
6540660	SMARTSOUND CAB INSULATION PKG	P
6540740	PETERBILT KEYLESS ENTRY	P
6701785	44" LOW ROOF SLPR W/PRESTIGE INTERIOR	P
6800160	SIDE OF HOOD AIR INTAKE BEZEL, BRIGHT FINISH	P
6810035	SLEEPER WALKTHROUGH CURTAIN	P
6810245	POWER DOOR LOCK ON SLEEPER REQ W/PLATINUM INTERIOR, OPT W/PRESTIGE	P
6810730	RH SLEEPER BAGGAGE DOOR	P
6811390	COIL SPRING MATTRESS WIDTH AND LENGTH VARY BY SLEEPER SIZE	P
6812590	POLISHED STAINLESS STEEL SLEEPER VENTS IN PLACE OF PAINTED VENT	P
6812790	LH FULL HEIGHT ACCESS DOOR WITH VENT	P
6814250	THERMAL INSULATION PACKAGE 44/58" LOW/FLAT	P
6911100	PETERBILT ST DRIVER	P
6921140	PETERBILT ST PASSENGER SEAT	P
6930580	DRIVERS ARMRESTS - LH & RH	P
6930590	PASSENGER ARMREST - LH ONLY	P
6939400	AIR RIDE DRIVER	P
6939420	HIGH BACK DRIVER	P
6939470	VINYL DRIVER	P
6939500	AIR RIDE PASSENGER	P
6939520	HIGH BACK PASSENGER	P
6939570	VINYL PASSENGER	P
7001520	ADJUSTABLE STEERING COLUMN TILT/TELESCOPE	P
7001630	PREMIUM STEERING WHEEL W MULTI FUNCTION LEATHER WRAPPED W/PB LOGO, AUDIO AND CC	P
7037175	PLATINUM INTERIOR - STERLING GRAY	P
7040150	RUBBER FLOOR IPO CARPET - PLAT/PREMIER	P

7210200	INTERIOR FOR CAB	
7230060	FIXED REAR WINDOW BOS DARK TINT	P
7230360	ONE-PIECE CURVED WINDSHIELD	P
	POWER DOOR LOCKS AND POWER WINDOW LIFTS	P
	STANDARD	
7322010	COMBO FRESH AIR HEATER/AIR CONDITIONER	P
7322030	SLPR HEAT/AIR COND W/CONTROLS IN SLPR	P
	44" (REQUIRES 7322010)	
7322130	CUP HOLDER (FLOOR MOUNTED)	P
7330890	EMBER FILTER FOR CABIN AIR	P
	N/A WITH 7330880	
7410040	OUTSIDE SUNVISOR - STAINLESS STEEL	P
	N/A W/ 2.1M HR SLEEPER	
7510060	AERO REAR VIEW MIRROR HOUSING	P
	BRIGHT FINISH	

VMQQR000

FOR CHASSIS 69601623

PAGE: 9

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	-----
7514010	PETERBILT AERO REAR VIEW MIRROR	P	
	MOTORIZED & HEATED W/INTEGRATED CONVEX		
7514050	LOOK DOWN MIRROR OVER PASSENGER DOOR	P	
	WITH BLACK HOUSING		
7640400	(4) PB AIR HORNS ROUND, (2)23" & (2)26"	P	
	ROOF MTD, ROUND HORN SHIELD		
7725730	PREMIUM SPEAKER PACKAGE FOR CAB	P	
	(6) SPEAKERS (INCLUDES TWEETERS)		
7725785	PREMIUM SPEAKER PACKAGE FOR SLEEPER	P	
	(2) SPKRS W/AMP; AVAIL W/44" SLPR ONLY		
7740140	COBRA 29 CB RADIO MTD CENTER OF HEADER	P	
	WITHOUT WEATHERBAND		
7748740	(2) ANTENNAS FOR FACTORY INSTALLED	P	
	OR F/O CB, MTD RH/LH SIDE OF ROOF		
7788055	SMARTLINQ REMOTE DIAGNOSTICS	P	
7788056	24 MONTHS SMARTLINQ SUBSCRIPTION W/OTA	U	
	NLA		
7788058	24 MONTHS SMARTLINQ SUBSCRIPTION	U	
	NLA		
7789620	SMARTNAV WITH NAVIGATION	P	
7850555	DUAL USB CHARGING PORT	P	
7851040	REMOVABLE BUGSCREEN BEHIND GRILLE	P	
7851480	PB ELEC WINDSHIELD WIPERS	P	
	W/INTERMITTENT FEATURE		
7852050	AUTO RESET CIRCUIT PROTECTION	P	
	DAYCAB AND SLEEPER		
7852080	PULL OUT TRAY/WORK SURFACE	P	
	OVER GLOVE BOX		
7900070	FIRE EXTINGUISHER, MTD IN SLEEPER	P	
	BAGGAGE COMPARTMENT,UL LISTED/RATED ABC		
7900090	TRIANGLE REFLECTOR KIT	P	
	SHIP LOOSE		
7900950	BACKUP ALARM WIRING TO BOC	P	
	5 FT ADDITIONAL WIRE		
8011800	DRIVE AXLE #1 FRONT OIL TEMP GAUGE	P	
	LOCATED IN DIGITAL CLUSTER DISPLAY		
8011810	DRIVE AXLE #2 REAR OIL TEMPERATURE GAUG	P	
	LOCATED IN DIGITAL CLUSTER DISPLAY		
8011830	ENGINE OIL TEMPERATURE	P	
	LOCATED IN DIGITAL CLUSTER DISPLAY		
8011850	TRANSMISSION OIL TEMPERATURE (MAIN)	P	

8012240	LOCATED IN DIGITAL CLUSTER DISPLAY GUARD(S) FOR REAR AXLE HEAT GAUGE	P
8021800	AIR FILTER RESTRICTION PRESSURE GAUGE LOCATED IN DIGITAL CLUSTER DISPLAY	P
8021810	BRAKE APPLICATION AIR PRESSURE (TRACTOR) LOCATED IN DIGITAL CLUSTER DISPLAY	P
8021820	BRAKE APPLICATION AIR PRESSURE (TRAILER) LOCATED IN DIGITAL CLUSTER DISPLAY	P
8021830	INCREASED AIR FILTER FULL INDICATION FOR AIR FILTER RESTRICTION GAUGE	P
8021860	SUSPENSION AIR PRESSURE 1 (LOAD) LOCATED IN DIGITAL CLUSTER DISPLAY	P

VMQQR000

FOR CHASSIS 69601623

PAGE: 10

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	----
8021870	SUSPENSION AIR PRESSURE 2 (LOAD) LOCATED IN DIGITAL CLUSTER DISPLAY	P	
8070100	(4) ADDITIONAL DASH SWITCHES, WIRING BEHIND DASH	P	
8070810	ENGINE MANIFOLD PRESSURE (TURBO BOOST) LOCATED IN DIGITAL CLUSTER DISPLAY	P	
8070820	ENGINE PERCENT TORQUE LOCATED IN DIGITAL CLUSTER DISPLAY	P	
8070830	MAIN INSTRUMENTATION PANEL DIGITAL CLUSTER 15" DISPLAY	P	
8071190	SLEEPER DIGITAL ALARM CLOCK	P	
8110070	HEADLIGHTS PROJECTOR MODULE POD FENDER MOUNTED TURN SIGNALS	P	
8120990	(5) MARKER LIGHTS, AERO LED ON ROOF, VISOR, OR FAIRING	P	
8131560	(2) PETERBILT FOG LIGHTS RECESSED IN BUMPER	P	
8132210	(1) 6" SPOTLIGHT, ROUND HALOGEN LH	P	
8133115	MARKER SWITCH WIRING FO AUXILIARY LIGHT UNDER CAB/SLEEPER	P	
8133450	(2) BRACKETS F/O BEACON/STROBE, ROOF MTD ABOVE EA DOOR TOWARD REAR, SW & WIRING	P	
8133630	GRAVEL GUARD STAINLESS STEEL FOR BUMPER MTD FOG/DRIVING LIGHTS	P	
8140120	INCANDESCENT SQR STOP/TURN/TAIL/BACKUP LH/RH SQUARE EOF OR DROPPED A-BRACE	P	
8153050	(1) F/O LOAD LIGHT, SWITCH, (2) 10' WIRE COILS UNDER CAB/SLEEPER	P	

PAINT

8500710	STANDARD PAINT COLOR SELECTION	P
8530780	(1) COLOR AXALTA TWO STAGE CAB/HOOD/SLEEPER	P
N8502	A - L0006EY WHITE	
N8520	FRAME L0001EA BLACK	
N8530	FENDER L0006EY WHITE	
N8540	HOOD TOP L0006EY WHITE	
N8550	CAB ROOF L0006EY WHITE	
N8560	SLEEPER ROOF L0006EY WHITE	

MISCELLANEOUS

9400090	PETERBILT CLASS 8 STANDARD COVERAGE 1 YEAR/100,000 MILES (160,000 KM)	P
---------	--	---

9400092	PACCAR MX STANDARD COVERAGE	P
	2 YRS/250,000 MI (400,000 KM)/6,250 HRS	
9407147	FUEL PRICE INDEX FACTOR \$84 NET	P
9408705	BASE WARR: EMISSIONS (CARB OPERATION)	P
	5YR/350K MI - MX Engine > 460HP	
9408937	PDI AFTER BODY UPFIT	P
9408982	VEHICLE LAYOUT	P

VMQQR000

FOR CHASSIS 69601623

PAGE: 11

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	----
9409005	44" SLEEPER / PLATINUM INTERIOR (3P)	P	
9409055	STATE REGISTRY: CALIFORNIA	P	
9409764	DISABLE TRACTOR DIRECTION INDICATION PARAMETERS N493 & N494	U	
9409787	CLASS 8 FLEET TRACKING	U	
9409897	CANCEL/REORDER REORDER CHASSIS	U	
9483348	PREMIUM MX-13 >=485HP (CARB) 5 YRS / 300,000 MI / 480,000 KM	U	